

Fabricant depuis 1948 • *Manufacturer since 1948*

## OUR SECOND-HAND MACHINES

JOUANEL Industrie gives you the opportunity to purchase machines and equipment at rock-bottom prices!

These are second-hand machines taken back from our clients as they bought new JOUANEL equipment, or returning from trade shows and demonstration. They are completely mechanically overhauled, reconditioned up to the current standards, repainted for most of them and ready to operate for many years in your workshops.

You benefit from a 6-month guarantee for these machines.

You can consult our second-hand machines offers on our PDF file, which is regularly updated depending on the current availability...Time to take advantage of our good bargains!

[www.jouanel.com](http://www.jouanel.com)

### **Siège social & Usine • Headquarters & factory**

JOUANEL Industrie • 30 rue des Saulniers  
37800 Sainte-Maure-de-Touraine • FRANCE

Tel.: +33 247 654 067 • Fax: +33 247 655 161

Email : [contact@jouanel.com](mailto:contact@jouanel.com)



## SECOND HAND MACHINES PRICES / 2024

TYPE OF MACHINE	REFERENCES	COMMENTS	GROSS PRICE EXCL. TAX €	N° INTERNES
HYDRAULIC GUILLOTINE SHEAR	CHS40060R	Revised	Price to be defined	OC4097
ELECTRIC BEADING MACHINE	BAG2040EP	Revised / Repainted	5 000,00	OC4004
MANUEL BEADING MACHINE	BAG2040MP	Revised / repainted	2 170,00	OC4076
ELECTRIC ROLL FORMING MACHINE	PROBAC-HT	Revised / repainted	11 500,00	OC4095
	PROBAC-HT-CE	Revised	20 500,00	OC4099
	LFL20+AG20	Revised	4 300,00	OC4096
DECOILLER	DPF153MHM	Revised	13 640,00	OC4090
LONG-LENGTH HYDRAULIC FOLDING MACHINE	PGL4000-2 SP4S	Revised	Price to be defined	OC4098
MANUAL FOLDING MACHINE	PVS3050-10M	Revised / Repainted	6 200,00	OC4039
	PAL2040	Revised	900,00	OC4091
HYDRAULIC PRESS WITH BRAKE	PPS2050	Revised	22 000,00	OC4085
MANUAL LEVER-OPERATED SHEARS	CLP1C	Revised	190,00	OC4079
ROLLER SHEAR	CCM	Revised	320,00	OC4012
	CCMA	Revised	350,00	OC4013
HINGE CLAMP	PALCD420	Revised	521,00	OC4066
BEADING ACCESSORY	ABH14-16-2040	Revised	350,00	OC4093
	BAH16-2040	Revised		
GUIDE RAIL	RCX2040A	Revised	160,00	OC4092
CLINCHING PLIERS	PBD100	Revised	46,00	OC4082
SEAM FOLDER	PLI01K8	Revised	250,00	OC4086
	PLI01NM	Revised	94,00	OC4088
	PLI02NM	Revised	106,00	OC4089
TOOL TO CLOSE HEMS	OFP-180	Revised	160,00	OC4069

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

HAND EDGE ROLLERS	PLIMSC2-100	Revised	217,00	OC4067
	PLIMDC3-200	Revised	427,00	OC4068
	PLIMSC4-200	Revised	268,00	OC4084

PACK BALOUT / TOOLING	BALOUT	Revised	388,00	OC4077
	CBID	Revised		
	CBIG	Revised		
	MACGS	Revised		
	MACD	Revised		
	PATHR4K	Revised		
	PATHBL4K	Revised		
	PAR55	Revised		
	VVDS05	Revised		
	CGRO	Revised		
	CPIDQS	Revised		
	PBTRI100	Revised		
	CBIDS	Revised		

**Would you like more information about this machine?**



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

CHS40060R

Gross price Excl. Tax

Price to be defined

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- Top blade holder and cutting angle control tilts between 0° 30' to 2° 3 depending on thickness
- 18 sheet metal clamping cylinders to ensure optimal sheet metal holding before and during cutting
- Manual blade clearance adjustment by buttons on the control box
- Power supply: 400V, three-phase, earth and neutral



*The picture shown are not contractual*

Hydraulic guillotine shear 4m x 6 mm

## GENERAL CHARACTERISTICS

- Dimensions : 4730 x 2938 x 2000 mm
- Weight : 9 200 Kg

## CAPACITIES

- Maxi steel S235 cutting capacity : 6 mm
- Adjustable cutting length: 4000 mm
- Distance between table and cylinders: 10 mm
- Adjustable cutting angle: 0.5 to 2.5 degrees
- Rear guide capacity: 20 to 1000 mm
- Maximum working pressure: 280 bar
- Main motor power: 11kW

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

BAG2040EP

Gross price Excl. Tax

5 000 €

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised and repainted

Lead time

Available upon 1 week

## STANDARD EQUIPMENT

- Supplementary device, for bending directly on the machine
- Time delay, electronically adjustable
- Machine delivered with one rod (choice of Ø 12, 14, 16, 18, 20, 24 and 28)



*The picture shown are not contractual*

The electronic winding delay and reset allow the operator to precisely adjust the opening of the coil and achieve perfectly identical repeatable production.

## GENERAL FEATURES

- Weight : 350 kg
- Dimensions : 250 x 70 x 120 cm
- Capacities in mm according to the diameter of the rods :

	Ø 12	Ø 14	Ø 16	Ø 18 +
Zinc Copper	0,65	0,8	0,8	0,8
Stainless steel	0,4	0,4	0,5	0,5
Galva steel	0,5	0,63	0,7	0,75

## POSSIBLE OPTIONS

- Other rods available
- Control pedal

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

BAG2040MP

Gross price Excl. Tax

**2 170€**

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised and repainted

Lead time

Available upon 3 to 4 weeks

## STANDARD EQUIPMENT

- Rod with gear reduction system in order to work alone
- Drive by 2 pinions for high consistency of the bead
- Folding device included with gauge
- 7 rods diameters available (Ø12, Ø14, Ø16, Ø20, Ø24, Ø28)



Manual beading machine

## GENERAL FEATURES

- Weight :120 kg
- Dimensions in cm : 240 x 70 x 130
- Useful length : 204 cm

## CAPACITIES

- Capacity in mm depending on the rod's diameters

	Ø12	Ø14	Ø16	Ø20+
Zinc	0,65	0,8	0,8	0,8
Copper	0,65	0,8	0,8	0,8
Stainless steel	0,4	0,4	0,5	0,5
Galvanized steel	0,5	0,63	0,7	0,75

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4095

Ref. JOUANEL	PROBAC HT
Gross price Excl. Tax	11 500€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 3 to 4 weeks

## STANDARD EQUIPMENT

- Manual cross-section
- Programming the length of the tray to profile with programmer
- Adjustments with handwheels and counter
- Power supply: 220V single phase, 1.5kw



Electric roll forming machine for construction sites, for the production of standing seam profiles.

## GENERAL CHARACTERISTICS

- Dimensions (in mm) : 1670 x 1450 x 1275
- Weight : 735kg

## CAPACITIES

- Zinc, copper, aluminum : 0.8 mm max
- Steel : 0.6mm max

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4099

Ref. JOUANEL

PROBAC-HT-CE

Gross price Excl. Tax

20 500 €

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- Numerical control with display
- Profiling speed inverter Integrated feed
- Adjusting the coil inlet guide
- Adjusting the press and width of the bin
- Entry guide on anti-marking roller slide
- Automatic Roll Forming Cycles Electrical, total or partial cross-section
- Longitudinal cutting with or without profiling
- 7 roller trains
- 4 slinging rings for easy handling
- Power supply: 220V, single phase, 1.5kW



*The picture shown are not contractual*

Electric roll forming machine for construction sites or workshops for standing seam profiles in parallel or grooved trays

## GENERAL CHARACTERISTICS

- Dimensions : 1 600 X 1 380 X 1 000 mm
- Weight : 526 kg

## CAPACITES

- Profiling speed (m/min): 5 - 15 mm
- Mini tray's length: 400 mm
- Mini slitting's width: 50 mm
- Capacities:

Zinc	/	0.8
Copper		
Aluminum		0.8

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)



# SECOND HAND OFFER

# N° OC4096

Ref. JOUANEL	LFL20+AG20
Gross price Excl. Tax	4 300€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

## STANDARD EQUIPMENTS

- Multi-purpose machine, perfect for insulation work
- For quick and sealed closing of ducts and boxes
- Autoguide device for metal sheet holding when forming
- Power supply : 400V three-phased, 1,1kw



Small Pittsburgh roll-forming machine

## GENERAL CHARACTERISTICS

- Dimensions (mm) : 1 200 x 420 x 1 100
- Weight (kg) : 135

## CAPACITIES

- Min-Max stainless steel : 0.4 - 0.6 mm
- Min-Max Aluminum, Steel galvanized : 0.4 - 1.0 mm
- Forming speed (m/min) : 9
- Width of seam : 8 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**

You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)



# SECOND HAND OFFER

# N° OC4090

Ref. JOUANEL	DPF153MHM
Gross price Excl. Tax	13 460 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	

## STANDARD EQUIPMENT

- Non-motorized and manual brake
- Manual hydraulic expansion of 470 to 360 mm



## Open Side Decoiler

## GENERAL CHARACTERISTICS

- Width : 1500 mm
- Maximum weight : 3 tons

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

### Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4098

Ref. JOUANEL

PGL4000-2 SP4S

Gross price Excl. Tax

Price to be defined

Transport

Not included, possibility to quote the transport

Warranty


6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- 12" touch screen
- Digital control
- Hydraulic cylinders that allow the clamp to be moved Incremental encoder to know and precisely adjust the bend angle
- Power supply: 400V, three-phase + earth and neutral, 5.5 kW



*The picture shown are not contractual*

Extended length bending machine 4m x 2mm equipped with SIEMENS PRO4S and digital control

## GENERAL CHARACTERISTICS

- Dimensions : 4 365 x 1 785 x 1 500
- Weight : 5 000kg

## CAPACITES

- Folding length: 4,050 mm
- Clamp ruler angle: 40°
- Clamp opening: 200 mm
- Apron thickness: 15/30

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

PVS3050-10M

Gross price Excl. Tax

6 200 €

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised and repainted

Lead time

Available upon 4 to 6 weeks

## STANDARD EQUIPMENT

- Opening with 2 positions : 15 mm and 65 mm
- Folding beam bearings and clamping beam shaft fitted on double ball bearings
- Vertical adjustment of the folding beam enabling the radius setting and easily makes the reverse bend
- Clamping beam locking pedal accessible over the whole length of the machine
- Hollow clamping beam tool to close the folds
- Balance of the folding beam by spring providing flexibility and rapidity
- Clamping and folding beam tool made of steel



Automatic release of the clamping beam when the folding beam lowers. JOUANEL patent which saves time by removing the opening operation.

## GENERAL FEATURES

- Useful folding length : 3 040 mm
- Dimensions : 3 535 x 570 x 1 265 mm
- Gross weight : 940 kg
- Capacity in mm :

	Wide 40mm folding beam tool	Narrow 15mm folding beam tool
Steel S235JR	1.2 mm	0.8 mm
Alu	1.5 mm	1 mm
Stainless steel	0.6 mm	0.5 mm
Zinc, copper	1.6 mm	1 mm

## POSSIBLE OPTIONS

- 40 mm-folding beam tool
- Different types of back gauges available (contact us for more information)
- Zinc workbench adapted to folding machine
- Beading accessory with gear train (Ø 14, 16, 18 mm)
- 180° hem closing tool

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)


# SECOND HAND OFFER

# N° OC4091

Ref. JOUANEL	PAL2040
Gross price Excl. Tax	900 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

## STANDARD EQUIPMENTS

- Lightweight and robust aluminum design
- Multifunctional : gripper, bend and flange
- Easily transportable to construction sites
- Equipped with 4 hinges between the gripper and the table ensuring perfect rigidity and folding hold
- Adaptable to trestles
- Equipped as standard with a baguette and a Ø13 mm rod
- 2 cranks : left and right



“Parisian” type manual bending machine for construction sites

## GENERAL CHARACTERISTICS

- Useful bending length : 2000 mm
- Zinc capacity : 0.65 mm
- Bending depth on 2M : 100 mm
- No depth limit on 1M (between handles)
- Passage between handles : 1 070 mm
- Dimensions : 2200 x 420 x 500 mm
- Net weight : 30kg
- Ø rod : 13 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4085

Ref. JOUANEL

PPS2050

Gross price Excl. Tax

22 000 €

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- Front metal sheet support 500mm, adjustable for work comfort
- Rear stopper placed on slide for pieces of small width
- Touchscreen numeric command with management of the Y and X axes, possibility to create a program, save it and update it with a USB key
- Punching of 86° radius 0,6 mm, 550 mm long and / or 800 mm depending on the model
- Control by pedal
- 400V Power supply three-phased + neutral



Reliable, the hydraulic press brakes is equipped of a torsion bar, widely dimensioned assuring a good parallelism of the movable slider during the pressure lowering.

## GENERAL FEATURES

- Weight : 3 100 kg
- Dimensions (mm) : 2550 x 1450 x 1950

## CAPACITY

- Folding useful length : 2,20 M
- Folding capacities : 50 tons maximum

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4079

Ref. JOUANEL	CLP1C
Gross price Excl. Tax	190€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

## STANDARD EQUIPMENT

- Counter spring on the superior blade
- Inferior blade of 150 mm long x 10 mm thick
- Manual blank-holder
- Operating lever



*The pictures shown are not contractual*

Workbench manual lever-operated shears

## CAPACITIES

### GENERAL FEATURES

- Weight : 12 kg
- Dimensions in mm : 280 x 110 x 640
- Lower blades' height in mm : 125 x 10

- Cutting galvanized steel on the whole length : 2 mm
- Flat iron in galvanized steel in mm : 60 x 3
- Round iron in galvanized steel in mm : 8
- Movement transmitted by rod

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4012

Ref. JOUANEL

CCM

Gross price Excl. Tax

**320 €**

Transport

Not included, possibility to quote the transport

Warranty

6 months

Lead time

Available

## STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy

MORE AVAILABLE



*The picture shown are not contractual*

Roller shear

## GENERAL FEATURES

- Capacity :

Zinc	0,8 mm
Steel	0,7 mm
Aluminum 1050-H44	0,8 mm

## COMPATIBLE MACHINES

- PBS2040 - 2540
- PCH1020
- PCL1020 - 1020A
- PCX1020
- PCX2040 - 2040A - 2540 - 3040 - 3080
- PZA2040 - 2040A
- PZX2040 - 2540

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)



# SECOND HAND OFFER

# N° OC4013

Ref. JOUANEL	CCMA
Gross price Excl. Tax	<b>350 €</b>
Transport	Not included, possibility to quote the transport
Warranty	6 months
Lead time	Available

## STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy

MORE AVAILABLE



*The picture shown are not contractual*

Roller shear

## GENERAL FEATURES

- Capacity :

Zinc	0.8 mm
Steel	0.63 mm
Alu	0.8 mm

## COMPATIBLE MACHINES

- All folders with a CCMA compatible rail

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

PALCD420 (Double hinge dripe hedge benders)

Gross price Excl. Tax

**521 €**

Transport

Not included, possibility to quote the transport

Warranty


6 months

Lead time

Available

## STANDARD EQUIPMENT

- An innovative 2-axis clamping and bending system
- A single clamp replaces the straight clamp and the angled clamp
- Only one positioning to fold down the drip edge, maximum time saving
- Easy and reproducible folding, without marking
- Suitable for standing seam trays made with 500 and 650mm coils
- Weatherproof clamp, made of stainless steel and aluminum



*The picture shown are not contractual*

This new innovative system of folding machines with double fold drip edges allows rapid shaping of the drip edge at the level of the sewer strip in a standing seam.

## GENERAL FEATURES

- Dimensions: L. 420mm x H.355mm
- Open length: 520 mm
- Weight: 1790g

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4093

Ref. JOUANEL

ABH14-16-2040 (Ø16 mm stick included)

Gross price Excl. Tax

**350 €**

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- Geared-down beading accessory with 16 mm Ø stick



*The picture shown are not contractual*

Gear reduction system to make very regular beads without effort and 16mm Ø stick for geared-down beading accessory

## CAPACITIES

Stick Ø		Ø 14	Ø 16
Maximum thickness (mm)	Zinc / Copper	0.65	0.8
	Stainless steel	0.4	0.5
	Steel galvanized	0.5	0.6

## OPTIONS

- Possibility to ask for an additional Ø14 mm stick

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

RCX2040A

Gross price Excl. Tax

160 €

Transport

Not included, possibility to quote the transport

Warranty


6 months, revised

Lead time

Available

## STANDARD EQUIPMENTS

- Folding device on the front of the bending machine
- Allows the use of the CCM Wheel Knife for cutting material to the pre-bend path



*The picture shown are not contractual*

Guide rail for CCM wheel knife, for PCX2040A bending machine

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4082

Ref. JOUANEL	PBD100
Gross price Excl. Tax	<b>46€</b>
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

## STANDARD EQUIPMENT

- Right clamp
- Fold width : 100 mm
- Fold depth : 100 mm
- Crossed-hinge
- PVC-coated handle for a comfortable utilization



Right clenching pliers

## GENERAL FEATURES

- Tool overall length : 270 mm
- Tool overall width : 100 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL	PLI01K8
Gross price Excl. Tax	250€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

### STANDARD EQUIPMENT

- Leaves no trace on pre-patinated and pre-lacquered sheets
- Made with non-oxidizing materials
- Handy clamp, compacts and designed especially for quality achievement
- Sturdy, the folder is perfect for starting seam for short facades or with difficult access



Extremely sturdy, light and handy, this tool is designed to close the first seam of standing seams' trays. It's ideal for heads' link fixation, short facades or difficult access.

### GENERAL FEATURES

- Weight : 2,2 kg

### CUT CAPACITIES

- Working width : 250 mm
- Closing seam width : 180 mm
- Maximum width of utilization :
  - Aluminum, copper, zinc : 0,8 mm
  - Steel : 0.8 mm
  - Stainless steel : 0.5 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

### Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)


# SECOND HAND OFFER

# N° OC4088

Ref. JOUANEL	PLI01NM
Gross price Excl. Tax	94€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

## STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



1<sup>st</sup> seam folder of trays in standing seam, roofing or cladding

## GENERAL FEATURES

- Weight : 1 930g
- Dimensions : 390 mm x 220 mm

## FOLDING CAPACITY

- Working width : 220 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

## Would you like more information about this machine?



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4089

Ref. JOUANEL

PLI02NM

Gross price Excl. Tax

**106€**

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



2<sup>nd</sup> seam folder of trays in standing seam, roofing or cladding

## GENERAL FEATURES

- Weight : 2 240g
- Dimensions : 450 mm x 220 mm

## FOLDING CAPACITY

- Working width : 220 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)



Ref. JOUANEL

OPF-180

Gross price Excl. Tax

160 €

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised and repainted

Lead time

Available

## STANDARD EQUIPMENT

- Folds evenly along the whole length, starting from a 135° fold
- Closes hems at 180° in just one run
- A real time saver
- Capacity of folding 0.8 mm steel
- 4 sets of rollers
- adjustable upper roller in position and depth
- 2 adjusting wheels
- 2 grip handles



Starting with a 135° seam, the OPF-180 tool enables you to seam at 180° in just one quick and comfortable run, thanks to its 4 sets of rollers

## GENERAL FEATURES

- Capacity steel : 0.8 mm
- Net weight : 1.8 kg

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

PLIMSC2-100

Gross price Excl. Tax

**217 €**

Transport

Not included, possibility to quote the transport

Warranty


6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- For straight or curved sheets
- 2 guide rolls
- Folder roller made of hardened steel, inclined at 10°
- Graduations in mm, indelible laser engraving
- Fast locking of edge height by butterfly handle
- Handle enabling to keep a correct handling of the tool, even with a maximum edge height



Hand edge rollers with single column, 2 guide rolls enabling to make seams and counter-seams with small and large lengths from 5 to 100 mm of height and up to 100°. It is also possible to use these edge rollers on curved parts.

## GENERAL FEATURES

- 2 rolls Edge height : 5 to 100 mm
- Weight : 1 165 g

## FOLDING CAPACITY

- Zinc and aluminum : 1.0 mm
- Copper : 0.8 mm
- Steel : 0.7 mm
- Stainless steel : 0.5 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

# SECOND HAND OFFER

# N° OC4068

Ref. JOUANEL

PLIMDC3-200

Gross price Excl. Tax

427 €

Transport

Not included, possibility to quote the transport

Warranty


6 months, revised

Lead time

Available

## STANDARD EQUIPMENT

- Seams on large lengths
- 3 rolls for a better guidance
- 2 folder rollers made of treated steel, inclined at 10°
- Graduations in mm, indelible laser engraving
- Fast locking edge height by 2 butterfly handles



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

## GENERAL FEATURES

- 3 rolls edge height : 5 to 200 mm
- Weight : 3 075 g

## FOLDING CAPACITY

- Zinc and aluminum : 1.0 mm
- Copper : 0.8 mm
- Steel : 0.7 mm
- Stainless steel : 0.5 mm

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

PLIMDC4-200

Gross price Excl. Tax

**268 €**

Transport

Not included, possibility to quote the transport

Warranty

6 months, revised

Lead time

Available

### STANDARD EQUIPMENT

- For straight or curved sheets
- 4 guide rolls
- Folder roller made of hardened steel, inclined at 10°
- Graduations in mm, indelible laser engraving
- Fast locking of edge height by butterfly handle
- Handle enabling to keep a correct handling of the tool, even with a maximum edge height



*The picture shown are not contractual*

Hand edge rollers with single column, 2 guide rolls enabling to make seams and counter-seams with small and large lengths from 5 to 200 mm of height and up to 100°. It is also possible to use these edge rollers on curved parts.

### GENERAL FEATURES

- 2 rolls edge height : 5 to 200 mm
- Weight : 1 665 g

### FOLDING CAPACITY

- Zinc / Aluminum : 1.0 mm
- Copper / steel : 0.8 / 0.7
- Stainless steel : 0.5 mm



**Would you like more information about this machine?**

You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to: [sav@jouanel.com](mailto:sav@jouanel.com)

Ref. JOUANEL

PACK BALOUT AND TOOLING

Gross price Excl. Tax

**388 €**

Transport

Not included, possibility to quote the transport

Lead time

Available

## STANDARD EQUIPMENT

- **BALOUT** x1 : Luggage for tools in reinforced textile, 18 pockets
- **CBID** x1 : Shape and straight cutting snips, cut to the right, 280mm
- **CBIG** x1 : Shape and straight cutting snips, cut to the left, 280mm
- **MACGS** x1 : Left slater's hammer, wooden handle wide peen
- **MACD** x1 : Right slater's hammer, wooden handle, wide peen
- **PATHR4K** x1 : Red tracing powder of high quality, 4 kg
- **PATHBL4K** x1 : Black tracing powder of high quality, 4 kg
- **PAR55G** x1 : Cutting punching clamp for slates, blade of 55 mm
- **VVDS05** x2 : stretcher for straps 10 to 20 mm wide
- **CGRO** x2 : Oblongue nibbler shear 35 x 3 mm
- **CPIDQS** x1 : Shear pass sheeting pelican-shaped QS, with spring
- **PBTRI100** x1 : Triangular clinching pliers, 100 mm, 100 mm depth



**CBID and CBIG** : Designed for small cuts of complexes forms – Counter spring removable and PVC coated handles

**MACGS and MACD** : Tool forged and polished – Wide peen for a better hand release – Sharp tip allowing to put holes in the slate to nail it – Nail-puller

**BALOUT** : Maximum weight : 15 kg – Velcro fastener – Size (mm) : 520 x 260 x 250 – Transport bar with foam

**PATHR4K** : Red powder of high quality – Made in France – Storage in jug

**PATHBL4K** : Blue powder of high quality – Made in France – Storage in jug

### Would you like more information about this machine?



You can contact **+33 2 47 65 47 65 5** (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)

**PAR55G** : Cuts' width : 7 mm maximum – Punching diameter : 3,2 mm – Shearing length : 2,8 mm – Graduation of 60 mm – The blades, matrices, punching, springs and handles are interchangeable

**VVDS05** : Width of stretcher for straps : 10 to 20 mm – Width : 0,5 mm – Useable on stainless steel, galvanized steel coated, aluminum and blued steel

**CGRO** : Adjustable cuts' width with a simple setting – Oblong's size : 35 x 3 mm – Zinc and aluminum capacity : 0,8 mm / steal : 0,6 mm

**CPIDQS** : Blades and branches forged – Long and strong blades to ease the continuous strikes – Stopper anti-pinching fingers – Counter spring removable – Capacities : steel : 0,6 mm; copper / aluminum : 1,2 mm, stainless steel : 0,4 mm

**PBTRI100** : Versatile clamp – Crossed-hinge for more strength – Fold width : 100 mm – Handle PVC-coated for a comfortable utilization.

Offer available on our website: <https://www.jouanel.com/en/page/second-hand-machines.php>

**Would you like more information about this machine?**



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

[sav@jouanel.com](mailto:sav@jouanel.com)