

Fabricant depuis 1948 • Manufacturer since 1948

OUR SECOND-HAND MACHINES

JOUANEL Industrie gives you the opportunity to purchase machines and equipment at rock-bottom prices!

These are second-hand machines taken back from our clients as they bought new JOUANEL equipment, or returning from trade shows and demonstration. They are completely mechanically overhauled, reconditioned up to the current standards, repainted for most of them and ready to operate for many years in your workshops.

You benefit from a 6-month guarantee for these machines.

You can consult our second-hand machines offers on our PDF file, which is regularly updated depending on the current availability...Time to take advantage of our good bargains!

www.jouanel.com





SECOND HAND MACHINES PRICES / 2025

TYPE OF MACHINE	REFERENCES	COMMENTS	GROSS PRICE EXCL. TAX €	N° INTERNES
DECOILER	DPF153MHM	Revised	13 460,00	OC4090
ELECTRIC BEADING MACHINE	BAG2040MP	Revised	2 170,00	OC5036
ROLL-FORMING MACHINE	PBC650M	Revised	3 000,00	OC5040
ELECTRIC ROLL-FORMING MACHINE	PBC100A	Revised	8 100,00	OC5034
MANUAL BENDING MACHINE	PCA2040 PCL1270A	Revised Revised	3 300,00 1 250,00	OC5030 OC5031
HUB FOR DECOILERS	PCX2040A MOY-DVS1000	Revised Revised	3 600,00 1 000,00	OC5039 OC5034
LIGHT SEAMERS	SRLT2	Revised	1 350,00	OC5032
MANUAL LEVER-OPERATED SHEAR	CLP1C	Revised	190,00	OC4079
AUTOMATIC POWER SEAMER	SER100A	Revised	4 600,00	OC5027
	CA600	Revised	656,00	OC5035
ROLLER SHEAR	CCM CCMA	Revised Revised	320,00 350,00	OC4012 OC4013
FLARING UNITS FOR DOWNPIPES	EVA-GAL80-100VAL	Revised	448,00	OC5038
SEAM FOLDER	PLI01K8 PLI01NM PLI02NM PLI12	Revised Revised Revised Revised	200,00 94,00 106,00 287,00	OC4086 OC4088 OC4089 OC5041
HAND EDGE ROLLERS	PLIMSC2-350 PLIMDC3-200	Revised Revised	350,00 427,00	OC5023 OC4068
	PLIMSD1-040	Revised	182,00	OC5008

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC4090

Ref. JOUANEL	DPF153MHM
Gross price Excl. Tax	13 460 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	

STANDARD EQUIPMENT

- Non-motorized and manual brake
- Manual hydraulic expansion of 470 to 560 mm



Open Side Decoiler

GENERAL CHARACTERISTICS

Width: 1500 mm

Maximum weight: 3 tons

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5036

Réf. JOUANEL	BAG2040MP
	DAGEO T OIVII

Gross price Excl. Tax	2 170€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead Time	Available upon 3 to 4 weeks

STANDARD EQUIPMENT

- Rod with gear reduction system in order to work alone
- Drive by 2 pinions for high consistency of the bead
- Folding device included with gauge
- 7 rods diameters are available (Ø12, Ø14, Ø16, Ø20, Ø24, Ø28)



Electrical shearing guillotine machine

GENERAL FEATURES

Weight :120 kg

Dimensions in cm: 240 x 70 x 130
Useful length in mm: 2 040

CAPACITIES

 Capacity in mm depending on the rod's diameters

	Ø12	Ø14	Ø16	Ø20+
Zinc	0,65	0,8	0,8	0,8
Copper				
Stainless	0,4	0,4	0,5	0,5
steel				
Galvanized	0,5	0,63	0,7	0,75
steel				

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5040

Réf. JOUANEL	PBC650M (Demo Machine)
--------------	------------------------

Gross price Excl. Tax	3 000 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EOUIPMENT

- Light and foldable for easy handling and storage
- Adjustable working height from 160 to 670 mm
- Quick adjustment, no tool needed
- Carrying handles
- Rubber roller drive
- Pre-set positions of measurements: 35, 40, 45 mm
- Adjustable entry guide up to 650 mm
- Rail for adapting roller shear



Roll-forming machines for cleat roofing trays

GENERAL FEATURES

OTHER OPTIONS

Capacities:

o Zinc / Copper: 80 / 100 o Aluminum: 80/100

- Roller shear CCMA
- Two-wheeled decoiler (DVD)

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5034

Gross price Excl. Tax	8 100 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 3 to 4 weeks

STANDARD EQUIPMENT

- Sprockets machined in treated steel 90 to 100 kg / mm²
- Quick and accurate setting of the width with wheels
- Blocking handle for outlet and inlet guide
- Trays' position modifiable with screw
- Power supply: 220V single-phase
- Lifting rings



Standing seam shaping machine

GENERAL FEATURES

CAPACITIES

Gross Weight: 600 kg

Dimensions: 1 700 x 1 300 x 1 400 mm

Zinc / Aluminum / Copper	80 / 100 mm
Stainless steel	55/100 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5030

Ref. JOUANEL	PCA2040 (Demo Machine), CCMA and RCA2040MA
	included

Gross price Excl. Tax	3 300€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 2 to 3 days

STANDARD EOUIPMENTS

- Interchangeable clamp ruler
- Apron with 15mm ruler
- Clamp lever
- Quick clamping by eccentric
- Apron bulging device
- Roller shear (CCMA) and guide rail (RCA2040MA) included



Lightweight manual construction site bending machine

GENERAL FEATURES

Dimensions in mm: 2 330 x 650 x 1 070

Gross weight (kg): 80

Useful bending length: 2,040 mm

• Capacities:

o Zinc / Aluminum 1050-H44: 0.8 mm

S235JR steel: 0.63 mm

Clamp opening: 60 mm

OPTIONS

Beading accessory (ABAL2040)

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5031

Ref. JOUANEL	PCL1270A
INCIA SOURINE	. 0=.=, 0, \

Gross price Excl. Tax	1 250€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EOUIPMENTS

- 15mm narrow folding beam
- Maximum folding angle of 143°
- Foldable and removable feet
- Locking of the clamp by eccentric



Manual construction site bending machine

GENERAL FEATURES

Dimensions in mm: 1 450 x 300 x 170

• Gross weight (kg): 53

Useful bending length: 1 270 mm

Capacities:

o Zinc: 0.7 mm

S235JR steel: 0.55 mm

Clamp opening: 60 mm

OPTIONS

- Guide rail (RCL1270MA) and roller shear
- o OR beading accessory (ABAL1300)

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00) or send an email to: sav@jouanel.com

JOUANEL Industrie S.A. • 30 rue des Saulniers • 37800 Sainte-Maure-de-Touraine
Tét. : +33 (0)2 47 65 40 67 • Fax : +33 (0)2 47 65 51 60
Email : info@jouanel.com • Website : www.jouanel.com
SA au capital de 61 060 € - RCS TOURS B 331 327 072 00020 - Code NAF : 294 A - N'identifiant TVA : FR 15331327072



N°OC5039

Ref. JOUANEL	PCX2040A (Demo Machine), CCMA and RCA2040MA
	included

Gross price Excl. Tax	3 600 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 1 week

STANDARD EQUIPMENTS

- Narrow apron 15mm
- 27° clamp ruler
- Cylinder for easy opening of the gripper
- Quick adjustment of the clamp by eccentric
- Adjustable table, clamp and apron for greater precision
- Graduated angle stop for series bends Adjusting the crowning of the apron
- Removable feet



Manual folding machine for construction sites or workshops

GENERAL CHARACTERISTICS

Dimensions: 2 260 x 1 040 x 600 mm

Gross weight: 160 kg

Useful folding length: 2 040 mm

• Opening the clamp: 70 mm

Capacities:

Stainless steel / 0.6 / 1.0 mm
Aluminum 1050-H44

Zinc / steel S235JR 1,0 / 0.7 mm

EQUIPMENT

Machine sold with:

- Zinc cutter (ref. CCMA)
- Rail (ref. RCX2040MA)
- Clamping / loosening pedal (Ref. PCXP2040

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5034

Ref. JOUANEL	MOY-DVS1000
INCI. JOURINE	10101-0031000

Gross price Excl. Tax	1 000 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	To be defined



Extra hub with brake for decoilers

GENERAL FEATURES

COMPATIBLE MACHINES

- Dimensions: 1700 x 600 x 400 mm
- Weight: 100 kg

- DVS1000
- DVS1000D
- DVS1000E

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5032

Ref. JOUANEL	SRLT2
--------------	-------

Gross price Excl. Tax	1 350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 3 to 4 days

STANDARD EOUIPMENTS

- Seaming unit for 1st and 2nd fold
- Quick lock / Unlock
- Universal fixing device for cordless screwdrivers
- Pressure adjustment by knob (on to adjust the seaming pressure of the first fold)
- 4 forming stations (4 coated and hollowed out steel rolls and 4 anti-marking rubber drive rollers)
- 1 entry roller
- · Safety ring to keep tools from falling
- Carrying case



Light seamer for standing seam profiles, first and second fold in one pass on roofs and first fold on facades.

GENERAL FEATURES

- Dimensions with lever up (in mm): 364 x 180 x 143
- Dimensions with lever down (in mm): 364 x 269 x 106
- Net weight with carrying case: 2,7 kg
- Carrying case: Yes

CAPACITIES

- 1st and 2nd fold:
 - o Zinc / Copper / Alu: 0.7 mm
 - o Steel: 0.6 mm
 - Stainless steel FTE: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC4079

Ref. JOUANEL CLP1C

Gross price Excl. Tax	190€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- · Counter spring on the superior blade
- Inferior blade of 150 mm long x 10 mm thick
- Manual blank-holder
- Operating lever



Shearing machine, for flat and round iron

GENERAL FEATURES

CAPACITIES

Weight: 12 kg

• Dimensions in mm : 280 x 110 x 640

• Inferior blades' height in mm: 125 x 10

Galvanized steel in mm: 2

• Flat iron in galvanized steel in mm: 60 x 3

• Round iron in galvanized steel in mm: 8

· Movement transmitted by rod

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)




N°OC5027

Ref. JOUANEL	SER100A
--------------	---------

Gross price Excl. Tax	4 600€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Doesn't leave marks on pre-weathered and pre-painted materials.
- Adapts to the thickness of the stapling using the compensating springs.
- Possibility of starting in the middle of the joint, after a pre-closure.
- Metal carrying case included.



Electric seamer with variable speed for seaming of the first and second standing seam

GENERAL FEATURES

POSSIBLE OPTIONS

- Working speed for roofing and cladding: 5.5-13m/min
- Joint height: 25mm mini 60mm max
- Weight: 21kg
- Power kW/V: 1150

- S235JR steel / Aluminium: 0.8mm max
- Copper / Zinc: 0.8mm max
- Stainless steel: 0.5mm max

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5035

Ref. JOUANEL	CA600

Gross price Excl. Tax	656 €
Transport	Not included, possibility to quote the transport
Warranty	6 months
Lead time	Available

STANDARD EQUIPMENT

- Slate and fiber-cement cutting
- Strengthened cutting disc for thick slates up to 6 mm (removable and changeable disc)
- Guiding of the cutting carriage on 8 bearings
- Long table for slates up to 600 mm
- Square gauges with quick adjustment system
- 2 gauges with grooved graduations every 5mm
- Table and guide in galvanized steel treated against corrosion
- Buffers for shock absorption buffers at end position
- · Hanging up on lintel and safe fixing by brads
- Locking system of the carriage for transportation
- Wide handling handles 2 positions



The slate-cutter CA600 is the essential tool to shape slates at will on constructions sites

Its strengthened disc, mounted on steel guides and ball bearing, ensures an excellent cutting regularity and effortless handling.

GENERAL FEATURES

Overall dimensions: 935 x 420 x 250 mm

Plate length: 885 mm
Plate width: 420 mm
Nb of bearings: 8
Nb of square gauges: 5

Max. cutting thickness: 6 mm

Net weight: 18 kg

POSSIBLE OPTIONS

 Large capacity slate chippings tray -CA600-BAC

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

0,

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC4012

Ref. JOUANEL CCM

Gross price Excl. Tax 320 €

Transport Not included, possibility to quote the transport

Warranty 6 months, revised

Lead time Available

STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle ensuring cutting accuracy



Roller shear

GENERAL FEATURES

• Capacity:

Zinc	0,8 mm
Steel	0,7 mm
Aluminum 1050- H44	0,8 mm

COMPATIBLE MACHINES

- PBS2040 2540
- PCH1020
- PCL1020 1020A
- PCX1020
- PCX2040 2040A 2540 3040 3080
- PZA2040 2040A
- PZX2040 2540

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC4013

Ref. JOUANEL	CCMA

Gross price Excl. Tax	350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle ensuring cutting accuracy



Roller shear

GENERAL FEATURES

COMPATIBLE MACHINES

Canacity .

capacity.	
Zinc	0.8 mm
Steel	0.63 mm
Alu	0.8 mm

All folders with a CCMA compatible rail

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5038

Gross price Excl. Tax	448 €
Transport	Not included, possibility to quote the transport
Warranty	6 months
Lead time	Available

STANDARD EQUIPMENT

- Carrying case
- Flaring unit \emptyset 80
- Flaring unit \varnothing 100
- A perfectly adjusted fit for joining pipes
- Adjustable flaring depth
- Flaring rollers with needle bearings
- Mounted on an aluminum unit
- Usable on copper, zinc, stainless steel and aluminum pipes
- Adaptable without tools on all screwguns



Easy to use directly on the worksite, flaring units for dowpipes make it possible to easily and evenly electric welded (ERW) downpipes.

GENERAL FEATURES

- Flaring depth max: 100 mm max
- Flaring rate: between 150t/ min and 500 t/ min
- Max capacity 400 N/mm2 steel and stainless steel: 0.5 mm
- Max capacity zinc / ¼ hard copper : 0.8 mm
- Net weight of set with carrying case: 3.7 kg

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Υ

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



Dof IOLIANEL

SECOND HAND OFFER

N°OC4086

Rei. JOUANLL	PLIUTKO
Gross price Excl. Tax	200 €
Transport	Not included, possibility to quote the transport

Warranty 6 months, revised

Lead time Available

STANDARD EQUIPMENT

- Leaves no trace on pre-patinated and prelacquered sheets
- Made with non-oxidizing materials
- Handy clamp, compacts and designed especially for quality achievement
- Sturdy, the folder is perfect for starting seam for short facades or with difficult access



Extremely sturdy, light and handy, this tool is designed to close the first seam of standing seams' trays. It's ideal for heads' link fixation, short facades or difficult access.

GENERAL FEATURES

Weight: 2,2 kg

CUTTING CAPACITIES

• Working width: 250 mm

• Closing seam width: 180 mm

• Maximum width of utilization :

o Aluminum, copper, zinc: 0,8 mm

o Steel: 0.8 mm

o Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Υ

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC4088

Ref. JOUANEL	PLIUTNM
Gross price Excl. Tax	94€
	<i>,</i> 10
Transport	Not included, possibility to quote the transport

Warranty 6 months, revised

Lead time Available

STANDARD EQUIPMENT

- · For standing seam profile trays
- Enables a rapid and economic implementation



Allows to close the 1st seam of trays in standing seam, roofing or cladding

GENERAL FEATURES

FOLDING CAPACITY

Weight: 1 930g

o Dimensions: 390 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)

Would you like more information about this machine?



N°OC4089

Ref. JOUANEL	PLI02NM	
Gross price Excl. Tax	106€	
Transport	Not included, possibility to quote the transport	
Warranty	6 months, revised	
Lead time	Available	

STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



2nd seam folder of trays in standing seam, roofing or cladding

GENERAL FEATURES

FOLDING CAPACITY

Weight: 2 240g

Dimensions: 450 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00) or send an email to: sav@jouanel.com

JOUANEL Industrie S.A. • 30 rue des Saulniers • 37800 Sainte-Maure-de-Touraine
Tél. : +33 (0)2 47 65 40 67 • Fax : +33 (0)2 47 65 51 60
Email : info@jouanel.com • Website : www.jouanel.com
SA au capital de 61 060 € - RCS TOURS B 331 327 072 00020 - Code NAF : 294 A - N'identifiant TVA : FR 15331327072



N°OC5041

Ref. JOUANEL	PLI12

Gross price Excl. Tax	287 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 3 to 4 days

STANDARD EQUIPMENT

- For closing both stages with one tool
- 250mm closing length, time saving
- Slightly rounded shape to prevent
- scratching
- Ideal for metal or painted surfaces
- Anti-scratching PVC protections on
- the locking jaws,
- interchangeable without tools
- Snap-on system, without fixing screws
- Reinforced cast aluminium body
- Insensitive to the weather
- New design, new ergonomic



Double lock standing seamer, width 250 mm

GENERAL FEATURES

- Weight: 2 400g
- o Dimensions: 450 mm x 250 mm

FOLDING CAPACITY

Working width: 250 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)



N°OC5023

Ref. JOUANEL	PLIMSCZ-350	
Gross price Excl. Tax	350 €	
Transport	Not included, possibility to quote the transport	
Warranty	6 months, revised	

Lead time Available

STANDARD EQUIPMENT

- For straight or curved sheets
- 2 guide rolls
- Folder roller made of hardened steel, inclined at 10°
- Graduations in mm, indelible laser engraving
- Fast locking of edge height by butterfly handle
- Handle enabling to keep a correct handling of the tool, even with a maximum edge height



The folding roller inclined at 10°, specifically designed for bending without marking the material, will also make it possible to compensate for the spring back of the metal and thus obtain a true 90° fold.

GENERAL FEATURES

2 rolls Edge height: 5 to 350 mm

• Weight: 1 925 g

CAPACITIES

Zinc / aluminum : 1.0 mmCopper / Steel : 0.8 / 0.7 mm

• Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)




N°OC4068

Gross price Excl. Tax	427 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Seams on large lengths
- 3 rolls for a better guidance
- 2 folder rollers made of treated steel, inclined at 10°
- Monobloc body in anodized stainless steel
- Columns, rolls and axis made of stainless steel
- Graduations in mm, indelible laser engraving
- Fast locking edge height by 2 butterfly handles



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

GENERAL FEATURES

3 rolls edge height: 5 to 200 mm

Weight: 3 075 g

FOLDING CAPACITY

Zinc and aluminum: 1.0 mm

Copper: 0.8 mm Steel: 0.7 mm

Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)




N°OC5008

Ref. JOUANEL	PLIMSD1-040	
Gross price Excl. Tax	182 €	
Transport	Not included, possibility to quote the transport	
Warranty	6 months, revised and repainted	
Lead time	Available	

STANDARD EQUIPMENT

- · Single-piece body made of aluminum, machined and anodized
- 1 roll in stainless steel
- 1 folder roller made of 100-mm diameter hardened steel
- Removable handle
- Fabric storage pocket



Single disk hand edge roller equipped with a disk and a disengageable guide roll to make 180° hems.

CAPACITIES OPTIONS

- Weight: 630 g

High edge : 8 to 40 mm

Bending :

Beriam 6.			
Zinc / aluminum	1.0 mm		
Copper	0.8 mm		
Steel	0.7 mm		
Stainless steel	0.5 mm		

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00)